

mesdaghinia@sina.tums.ac.ir :

(II)

(Chemical Oxygen Demand)

(OH

.(Glaze et al.1987)

OH

(AOPs)

Advanced Oxidation Processes

COD

Oxidation – Reduction Potential (ORP)

2,4-DCP

$E^{\circ} = + 3.06 \text{ V}$

Fe^{2+} H_2O_2

2,4-DCP

OH

)

:(Freeman 1998)

(

() AOPs

$\text{H}_2\text{O}_2 /$

DCP

UV /

COD BOD_5

$\text{H}_2\text{O}_2 / \text{UV} /$

$\text{BOD}_5 / \text{COD}$

UV/ H_2O_2

$\text{Fe}^{2+} / \text{H}_2\text{O}_2$

H.J.H Fenton

()

(Fenton Reaction)

(Fenton Reagent)

.(Nesheiwat et al. 2000)

OH

H_2O_2


2,4-)

(DCP

.(Bigda 1995)

2,4-DCP

()



Fe=15 mg/L

2,4-DCP=100 mg/L

pH

mg/L

2,4-DCP

pH=3

Fe=15 mg/L

(II)

() H₂O₂

H₂O₂

Fe=15 mg/L

pH

)

2,4-DCP=50 mg/L

pH (

2,4-DCP=100 mg/L

pH

H₂O₂

H₂O₂

H₂O₂ (II)

H₂O₂

COD

(Chamaro et al. 2001)

H₂O₂ =50 mg/L

BOD₅ COD

H₂O₂

COD

(APHA 1998)

(II)

H₂O₂=50 mg/L

COD %

Fe(II) =5 mg/L H₂O₂=50 mg/L

COD %

COD

% COD

COD

Fe(II) =5 mg/L

2,4-DCP=100 mg/L

BOD₅

H₂O₂=50, 75, 100 mg/L

mg/L	COD		COD	H ₂ O ₂	H ₂ O ₂
BOD ₅	/	/	/	/	mg/L
/	/	/	mg/L		
			.()	COD	
COD					% % %
	COD	%			
BOD ₅ /COD				COD	(II) H ₂ O ₂
	/				
COD					
				(II)	H ₂ O ₂ = 100 mg/L
Fe=15 mg/L	H ₂ O ₂ =100 mg/L			COD	
	BOD ₅ /COD				%
	.()	/			5 mg/L
				%	COD
	BOD ₅ /COD				
				H ₂ O ₂ = 100 mg/L	
				10 min	Fe(II) = 5 mg/L
				%	COD
BOD ₅ /COD	Fe=10 mg/L	H ₂ O ₂ =50 mg/L		COD	
/	2,4-DCP=50 mg/L				
					.()
H ₂ O ₂ =100 mg/L	Fe=15 mg/L				
/		BOD ₅ /COD		H ₂ O ₂	
		.()		COD %	%
	BOD ₅ /COD			COD	(II)
Fe=15 mg/L					
Fe=15 mg/L				H ₂ O ₂ =75 mg/L	
	BOD ₅ /COD				Fe(II) = 10 mg/L
				COD	2,4-DCP=100 mg/L
	BOD ₅ /COD				

H₂O₂

pH (II) 2,4-DCP=100 mg/L

/ / / /

.() pH 2,4-DCP=100 mg/L BOD₅/COD

pH 2,4-DCP=100 mg/L H₂O₂=100 mg/L /

Fe=10 mg/L H₂O₂=75 mg/L Fe=15 mg/L

COD , H₂O₂

(BOD₅/COD)

Fe H₂O₂

pH Fe²⁺ H₂O₂

pH / .() /

BOD₅/COD

(II)

%

%

.(Ma et al. 2000) H₂O₂

H₂O₂

pH

.(Bum et al. 1999) BOD₅/COD

pH=3-4 pH

pH

.(Chamarro et al. 2001) NaOH pH

pH

pH 2,4-DCP=50 mg/L

/...

%

)

COD

()

.(

;




Fe(II)=10 mg/L	H ₂ O ₂		2,4-DCP=50 mg/L				$\frac{BOD_5}{COD}$		BOD ₅ · COD			
	Fe=10 mg/L											
	H ₂ O ₂ =100 mg/L		H ₂ O ₂ =75 mg/L		H ₂ O ₂ =50 mg/L							
$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	min
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/

Fe(II)=15 mg/L	H ₂ O ₂		2,4-DCP=50 mg/L				$\frac{BOD_5}{COD}$		BOD ₅ · COD			
	Fe=15 mg/L											
	H ₂ O ₂ =100 mg/L		H ₂ O ₂ =75 mg/L		H ₂ O ₂ =50 mg/L							
$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	min
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/


/ ...

Fe(II)=10 mg/L	H ₂ O ₂		2,4-DCP=100 mg/L				$\frac{BOD_5}{COD}$		BOD ₅ · COD			
	Fe=10 mg/L											
	H ₂ O ₂ =100 mg/L			H ₂ O ₂ =75 mg/L			H ₂ O ₂ =50 mg/L					
$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	min
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/


Fe(II)=15 mg/L	H ₂ O ₂		2,4-DCP=100 mg/L				$\frac{BOD_5}{COD}$		BOD ₅ · COD			
	Fe=15 mg/L											
	H ₂ O ₂ =100 mg/L			H ₂ O ₂ =75 mg/L			H ₂ O ₂ =50 mg/L					
$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	$\frac{BoD_5}{COD}$	BOD ₅ mg/L	COD	COD mg/L	min
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/	/	/



Fe=15 mg/L H₂O₂ 2,4-DCP=50 mg/L




Fe(II)=15 mg/L 2,4-DCP=100 mg/L



pH
 2,4-DCP=100 mg/L


Fe(II)=10 mg/L



2,4-DCP=100 mg/L

Fe=15 mg/L

H₂O₂



pH :
2,4-DCP=100 mg/L

Sedlak , D. and Andren , A. , 1991. Aqueous oxidation of polychlorinated biphenyl's by hydroxyl radicals. *Environmental Science & Technology* . **25**, pp.1419-1427 .

Chen , R. and Pignatello , J. 1997. Role of quinone intermediate as electron shuttles in Fenton and photo-assisted Fenton oxidation of aromatic components. *Env. Sci. & Tec.* **31**, pp. 2399-2409.

Adamas, C.D., Scanlan , P.A. and Secristan , S. 1994. Oxidation and biodegradability enhancement of 1,4-dioxane using Hydrogen Peroxide and ozone. *Env. Sci. & Tec.* **28**, pp. 1812-1818.

Fares al momani. , 2003. Combination of photo-oxidation process with biological treatment, *Barcelona* ,pp. 26-30.

BUA. , 1988. 2,4-dichlorophenol, BUA report 31, German , Chemical safety .

APHA, AWWA, WEF. , 1998. Standard methods for the examination of water and wastewater, 20 th Edition, United Book Press Inc., Baltimore, Maryland .

Ma, Y.S., Huang , S.T. and Clin, J., 2000. Degradation of 4-nitrophenol using Fenton process. *Water Science and Technology.* **42**(3-4) , pp. 155-160.

Gankwon , B., Soolee, D., Kung , N. and Yoon, J. , 1999. Characteristics of P-chlorophenol oxidation by Fenton reagent. *Water Rresearch.* **33**(9), pp. 2110-2118

Glaze , W. H., Kang , J.W. and Chapin , D.H. , 1987. The chemistry of water treatment process involving ozone, hydrogen peroxide and ultraviolet radiation. *Ozone Sci. & Eng.* **9**(4), pp. 335-349.

Freeman , H.M. , 1998. Standard handbook of hazardous waste treatment and disposal, second edition, Mc Graw Hill ,New York . pp. 7-45.

Nesheiwat , F.K. and Awanson , A.G. , 2000. Clean contaminated sites using Fenton reagent. *Chemical Engineering progress,* **96**(4) , pp. 61-66.

Bigda , R. J. , 1995. Consider Fenton's chemistry for wastewater treatment. *Chem. Eng. Pro.* **91**(12) , pp. 62-66.

Chamarro, E., Marco , A. and Esplugas , S. , 2001. Use of Fenton reagent to improve organic chemical biodegradability. *Water Research.* **35**(4) , pp. 1047-1051