

younesianm@yahoo.com :

// : // :

OR

( )

cc

WHO

:

)

.(

)

.(

( )

.( )

( )

.( )

%

.( )

)

(

) P %

(  
P= / P= /

OR

Conditional

Backward

SPSS

- 
- 
- 

:

:

(% / )

(% / )

( )

( )

( )

OR

OR P value

(OR= / )

(p< / )

(p< / )

(p< / )

(p= / )

(p= / )

(OR= / )

(p< / )

(OR= / )

(p< / )

(p< / )

(p= / )BMI (p= / )

(OR= / )

(p< / )

(p< / )

(p= / )

(p< / )

(OR= / )

( )

(OR= / )

(OR= / )

.(Ichikawa et al. 2003)

% /

Odds .

.(OR= / )

) /

Ratio

.(Valent et al. 2002) ( / / =%

:

%

% /

)

(% / % / )

.(

.(Peek-Asa et al. 1999)

.(Roung Lin et al. 2003)

:

cc

cc

cc

]

(% / )

% /

cc

% /

% /

cc

[(Langley et al. 2000)

% / % /

(Broyles et al. 2001)

(Dissanayake and John Lu 2002)

Broyles et al.)

(2001

(Dissanayake and John Lu 2002)

(Lam 2000)

:

(Lam 2000)

Turner et al.)

(2004

(Reeder et al. 1999)

%

:

)

/...

---

:

(

---

---

---

---

|   |   |   |   |   |   |     |
|---|---|---|---|---|---|-----|
| / | / | / | / | / | / | ( ) |
| / | / | / | / | / | / |     |
| / | / | / | / | / | / |     |
| / | / | / | / | / | / |     |
| / | / | / | / | / | / |     |
| / | / | / | / | / | / |     |
| / | / | / | / | / | / |     |

---



|                        |   |   |   |                        |   |   |      |
|------------------------|---|---|---|------------------------|---|---|------|
| $\chi^2 = 13.18$       | / | / |   | $\chi^2 = 40.93$       | / | / |      |
| P-Value = 0.01         | / | / |   | P-Value < 0.0001       | / | / |      |
| Linear-by-Linear       |   |   |   | Linear-by-Linear       |   |   |      |
| Association = 12.57    | / | / |   | Association = 31.43    | / | / |      |
| P-value < 0.0001       | / | / |   | P-value < 0.0001       | / | / |      |
|                        | / | / |   |                        | / | / |      |
| $\chi^2 = 10.22$       | / | / |   | $\chi^2 = 33.65$       | / | / |      |
| P-Value = 0.001        |   |   |   | P-Value < 0.0001       | / | / |      |
| OR= 1.99               |   |   |   | OR= 0.28               |   |   |      |
| %95CI OR= (1.30, 3.05) | / | / |   | %95CI OR= (0.18, 0.44) |   |   |      |
| $\chi^2 = 82.41$       | / | / |   | $\chi^2 = 14.97$       | / | / | BMI  |
| P-Value < 0.0001       | / | / |   | P-Value = 0.002        | / | / |      |
| OR= 9.13               |   |   |   | Linear-by-Linear       |   |   |      |
| %95CI OR=(5.44, 15.31) |   |   |   | Association = 11.81    | / | / |      |
| $\chi^2 = 17.17$       | / | / |   | P-value = 0.001        |   |   |      |
| P-Value < 0.0001       | / | / |   |                        | / | / |      |
| OR= 0.34               |   |   |   | $\chi^2 = 70.60$       | / | / |      |
| %95CI OR= (0.20, 0.58) |   |   |   | P-Value < 0.0001       |   |   |      |
| $\chi^2 = 9.48$        | / | / |   | Linear-by-Linear       | / | / |      |
| P-Value = 0.002        | / | / |   | Association = 70.15    |   |   |      |
| OR=2.09                |   |   |   | P-value < 0.0001       | / | / |      |
| %95CI OR= (1.27,3.45)  |   |   |   |                        |   |   |      |
| $\chi^2 = 45.80$       | / | / |   | $\chi^2 = 27.69$       | / | / |      |
| P-Value < 0.0001       | / | / |   | P-Value < 0.0001       | / | / |      |
|                        | / | / |   | Linear-by-Linear       | / | / |      |
|                        |   |   |   | Association = 10.20    |   |   |      |
| $\chi^2 = 64.04$       | / | / | / | P-value = 0.001        |   |   |      |
| P-Value < 0.0001       | / | / | / | $\chi^2 = 8.78$        | / | / | Km/h |
| OR= 10.29              |   |   |   | P-Value = 0.003        | / | / | Km/h |
| %95CI OR=(5.37,19.69)  |   |   |   | OR= 1.86               |   |   |      |
|                        |   |   |   | %95CI OR=(1.23,2.82)   |   |   |      |

|                      |   |   |      |                       |   |   |    |
|----------------------|---|---|------|-----------------------|---|---|----|
| $\chi^2 = 0.05$      | / | / |      | $\chi^2 = 0.14$       | / | / |    |
| P-Value = 0.82       | / | / |      | P-Value = 0.70        | / | / |    |
| OR= 0.90             | / | / |      | OR= 1.10              | / | / |    |
| %95CI OR=(0.33,2.46) |   |   |      | %95CI OR=(0.67, 1.80) |   |   |    |
| $\chi^2 = 14.97$     | / | / | BMI  | $\chi^2 = 3.12$       | / | / |    |
| P-Value = 0.002      | / | / |      | P-Value = 0.07        | / | / |    |
| Linear-by-Linear     | / | / |      | OR= 1.48              | / | / |    |
| Association = 11.81  |   |   |      | %95CI OR=(0.95, 2.28) |   |   |    |
| P-value = 0.001      | / | / |      | $\chi^2 = 0.11$       | / | / | cc |
|                      | / | / |      | P-Value = 0.74        |   |   |    |
|                      | / | / |      | OR= 1.09              | / | / |    |
|                      |   |   |      | %95CI OR=(0.63, 1.89) |   |   |    |
| $\chi^2 = 70.60$     | / | / |      | $\chi^2 = 0.69$       | / | / |    |
| P-Value < 0.0001     | / | / |      | P-Value = 0.87        | / | / |    |
| Linear-by-Linear     | / | / |      |                       | / | / |    |
| Association = 70.15  | / | / |      |                       | / | / |    |
| P-value < 0.0001     | / | / |      |                       | / | / |    |
| $\chi^2 = 64.04$     | / | / |      | $\chi^2 = 0.46$       | / | / |    |
| P-Value < 0.0001     | / | / |      | P-Value = 0.49        |   |   |    |
| OR= 10.29            | / | / |      | OR= 0.79              |   |   |    |
| %95CI                |   |   |      | %95CI OR=(0.40, 1.55) | / | / |    |
| OR=(5.37,19.69)      |   |   |      |                       |   |   |    |
| $\chi^2 = 27.69$     | / | / |      | $\chi^2 = 3.21$       | / | / |    |
| P-Value < 0.0001     | / | / |      | P-Value = 0.07        | / | / |    |
| Linear-by-Linear     | / | / |      | OR= 0.51              | / | / |    |
| Association = 10.20  | / | / |      | %95CI OR=(0.24, 1.07) |   |   |    |
| P-value = 0.001      | / | / |      | $\chi^2 = 9.48$       | / | / |    |
|                      |   |   |      | P-Value = 0.002       |   |   |    |
| $\chi^2 = 8.78$      | / | / | Km/h | OR=2.09               | / | / |    |
| P-Value = 0.003      | / | / |      | %95CI OR=             | / | / |    |
| OR= 1.86             |   |   |      | (1.27,3.45)           |   |   |    |
| %95CI OR=(1.23,2.82) | / | / | Km/h |                       |   |   |    |

|    |   |    |         | OR | OR p value |     |     |
|----|---|----|---------|----|------------|-----|-----|
| OR |   | OR | p value |    |            |     |     |
| /  | / | /  | /       | /  |            |     |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            |     | ( ) |
| /  | / | /  | /       | /  |            |     | ( ) |
| /  | / | /  | /       | /  |            |     | ( ) |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | . |    | /       |    |            | ( ) |     |
| /  | . |    | /       |    |            | ( ) |     |
| /  | / | /  | /       | /  |            |     | ( ) |
| /  | / | /  | /       | /  |            |     | ( ) |
| /  | / | /  | /       | /  |            |     | ( ) |
| /  | / | /  | /       | /  |            |     | ( ) |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |
| /  | / | /  | /       | /  |            | ( ) |     |

- and *Prevention*, **35**(2), pp.183–189.
- Langley, J., Mullin, B. and Jackson, R., 2000. Motorcycle engine size and risk of moderate to fatal injury from a motorcycle crash. *Accident Analysis and Prevention*, **32**(5), pp.659–663.
- Lam, L.T., 2000. Factors associated with parental safe road behaviour as a pedestrian with young children in metropolitan New South Wales Australia. *Accident Analysis and Prevention*, **33**(2), pp.203–210.
- Peek-Asa, C., McArthur, D. and Kraus, J., 1999. The prevalence of non-standard helmet use and head injuries among motorcycle riders. *Accident Analysis and Prevention*, **31**(3), pp.229–233.
- Reeder, A. Ia., Alsop, J.C. and Langley, J.D., 1999. An evaluation of the general effect of the New Zealand graduated driver licensing system on motorcycle traffic crash hospitalizations”. *Accident Analysis and Prevention*, **31**(3), pp.651–661.
- Roung Lin, M., Hui Changb, S. and Paic, L., 2003. A longitudinal study of risk factors for motorcycle crashes among junior college students in Taiwan. *Accident Analysis and Prevention*, **35**(2), pp.243–252.
- Turner, C., Clure, R. M. and Pirozzo, S., 2004. Injury and risk-taking behavior-a systematic review. *Accident Analysis and Prevention*, **36**(1), pp.93–101.
- Valent, F., Schiava, F. and Savonitto, C., 2002. Risk factors for fatal road traffic accidents in Udine, Italy. *Accident Analysis and Prevention*, **34**(1), pp.71–84.
- Broyles, R.W., Clarke, S.R. and Narine, L., 2001. Factors contributing to the amount of vehicular damage resulting from collisions between four-wheel drive vehicles and passenger, *Accident Analysis and Prevention*, **33**(5), pp.673–678.
- Dissanayake, S. and John, Lu. J., 2002. Factors influential in making an injury severity difference to older drivers involved in fixed object passenger car crashes. *Accident Analysis and Prevention*, **34**(50), pp.609–618.
- Ichikawa, M., Chadbunchachai, W. and Marui, E., 2003. Effect of the helmet act for motorcyclists in Thailand. *Accident Analysis*