

:

:

:

jnsaraji@tums.ac.ir:

:

:

// :

// :

:

:

SPSS

(% / ± /)

:

(% /)

(% /)

($p < /$)

:

-

-

-

:

Reliability

Validity

Rose Hart

Intra tester reliability

S1 L1

Icc= /

(Hart and rose 1986)

Hinman

()

()

(IK)

(IL)

(IL)

(IK)

(ICCS) Intraclass

()

/

Lovell / ICCS / IK

Inter tester Intra tester ICCS . IL

IL

inter tester reliability

()

Icc= / Icc= /

inter testerreliability

(Lovell 1989)

Uoudas

(Hinman 2003,2004)

Harrison

intra tester

Icc= /

Interexaminer,

Interaexaminer

Uoudas) (< /) Interaexaminer

Interaexaminer

(1995

Frey Burton /)

Uoudas Bennet (/

Leavine (ICC< /)

() (/ <ICC< /)

(Harrison 2005)

Walker

Intra tester

ICC = / reliability

(walker 1987)

/ ± /
/ ± /
/ ± /
/ ± /

cm

()
()

.()

T-test

(% /)

(% /)

)

- (

(% /)

(% /)

(% /)

SPSS

(% /)

Microsoft Excel

.() (p < /)

.(p < /)

.()

.()

.(% /)

(/)

(/)

(% / /)

.(% /)

(p = /) .

/)

(/

.(% / /)

) % /

.(/ ± /

()

/ ± / / ± /

/ ± /

.()

/

t /

(p < /)

.(p = /)

()

-

% /)

()

(% /

/

-

t

/

-

($p < /$)

) /

-

(/ / :%

MSDs

()

-

()

/

/)

(

($p = /$)

(% /)

($p = /$)

% /)

(% /

% /)

(% /

ok

/ Levine / Hart
Uoudas. /

/

Uoudas

/

/

/

/

/

/

/

/

/

/

/)

(

()

()

Back school

CKD

-

P_value	()	()	()
/	(/)	(/)	(/)
/	(/)	(/)	(/)
/	(/)	(/)	(/)
/	(/)	(/)	(/)
/	(/)	(/)	(/)
/	(/)	(/)	(/)
/	(/)	(/)	(/)
/	(/)	(/)	(/)
/	(/)	(/)	(/)

-

P_value	()	()	()
/	(/) /	-	(/) /
/	(/) /	(/) /	(/) /
/	(/) /	(/) /	(/) /
/	(/) /	(/) /	(/) /
/	(/) /	-	(/) /
/	(/) /	(/) /	(/) /
/	(/) /	(/) /	(/) /
/	(/) /	(/) /	(/) /

P_value				
	()	()	()	
/	(/) /	(/) /	(/) /	()
/	(/) /	(/) /	(/) /	()
/	(/) /	(/) /	(/) /	()
/	(/) /	(/) /	(/) /	

=

P_value				
	()	()	()	
/	(/) /	(/) /	(/) /	()
	(/) /	(/) /	(/) /	
/	(/) /	(/) /	(/) /	
	(/) /	(/) /	(/) /	
/	(/) /	(/) /	(/) /	()
	(/) /	(/) /	(/) /	
/	(/) /	(/) /	(/) /	
	(/) /	(/) /	(/) /	
/	(/) /	(/) /	(/) /	()
	(/) /	(/) /	(/) /	
/	(/) /	(/) /	(/) /	
	(/) /	(/) /	(/) /	

Harrison, DE., 2005. Sagittal skin contour of the cervical spine: interexaminer and intraexaminer reliability of the flexicurve instrument, *J manipulative physiol ther.* **28**(7), pp. 516- 9.

Hart, DI. and Rose SJ., 1986. Reliability of a noninvasive method for measuring the lumbar curve. *J.O.S.P.T.*, **8**(4), pp. 180-4.

Lovell, FW., 1989. Reliability of clinical measurement of lumbar lordosis taken with a flexible ruler. *Phy ther*, **69**, pp. 96-105.

Hinman, M.R., 2003-2004. Interrater reliability of flexicurve postural measures among novice users.

Uoudas, YW., 1995. Reliability of measurement of lumbar spine sagittal mobility obtained with the flexible curve. *Jospt*, **21**, pp. 20-31.

Walker ML., 1987. Relationship between lumbar lordosis pelvic tilt and abdominal muscle performance. *The Phy.* **67**(4), pp. 512-16.

OCRA

()